

- Dyson S.** Review of 30 cases of peritonitis in the horse *Equine vet. J.* 1983, 15: 25-30
- Dyson S & Orsini J.** Intussusception of the large colon in a horse. *J. Amer. Vet. med. Assoc.* 1983, 182: 720 - 723
- Reef V, **Dyson S & Beech J.** Lymphosarcoma and associated immune mediated haemolytic anaemia and thrombocytopenia in horses. *J. Amer. vet. med. Assoc.* 1984, 184: 313-317
- Dyson S.** Nerve blocks and lameness diagnosis in the horse *In Practice* 1984, 6: 102-107
- Dyson S.** A review of intra articular medication in the horse *Proc. of Assoc. for Veterinary Pharmacology & Therapeutics* 1984
- Shelley J & **Dyson S.** Interpreting radiographs 5: Radiology of the equine hock. *Equine vet. J.* 1984, 16: 488-495
- Dyson S & Platt H.** Panniculitis in an aged pony resembling Weber-Christian disease in man. *Equine Vet. J.* 1985, 17: 145-147
- Dyson S.** Intra-articular anaesthesia of the equine hock. *In Practice* 1985, 7: 92-96
- Dyson S.** Sixteen fractures of the shoulder region in the horse. *Equine vet. J.* 1985, 17: 104-110
- Orsini J, Warner A, **Dyson S & Nunamaker D.** Lower extremity amputation and application of a prosthetic device in a 1 month old calf. *Vet. Surg.* 1985, 14: 307-309
- Dyson S.** Diagnostic techniques in the investigation of shoulder lameness. *Equine vet. J.* 1986, 18:25-28
- Dyson S.** Shoulder lameness in horses: An analysis of 58 suspected cases. *Equine vet. J.* 1986, 18:29-36
- Dyson S.** Problems associated with the interpretation of the results of regional and intra articular anaesthesia in the horse. *Vet. Rec.* 1986, 118: 419-422
- Dyson S.** Lameness associated with recurrent haemarthrosis in a horse. *Equine vet. J.* 1986, 18:224-226
- Dyson S & Greet T.** Repair of a fracture of the deltoid tuberosity of the humerus in a pony. *Equine Vet. J.* 1986, 18 (3) 230-232
- Dyson S.** Interpreting radiographs 7: Radiology of the equine shoulder and elbow. *Equine vet. J.* 1986, 1: 352-361
- Dyson S.** Forelimb lameness in the horse 1: An approach to diagnosis. *In Practice* 1986, 8: 176-186
- Dyson S.** Forelimb lameness in the horse 2: Diagnosis and treatment. *In Practice* 1986, 8: 208-212

Dyson S. Shoulder lameness in horses: Diagnosis and differential diagnosis. Proc. Amer. Assoc. Equine Pract. 1986, 32: 461-480

Whitwell K & **Dyson S.** Interpreting radiographs 8: Equine cervical vertebrae. Equine vet. J. 1987,19: 8-14

Dyson S, Taylor P & Whitwell K. Femoral nerve paralysis after general anaesthesia. Equine vet. J. 1988, 20: 376-379

Dyson S. Some observations on lameness associated with pain in the proximal metacarpal region. Equine vet. J. 1988, Suppl. 6: 43-52

Dyson S. Variations in the normal radiographic anatomy of equine limbs In Practice 1988, 10: 119-125

Leach D & **Dyson S.** Instant centres of rotation of equine limb joints and their relationship to standard skin marker locations. Equine vet. J. 1988, Suppl. 6: 113-119

Dyson S. The use of ultrasonography for assessment of tendon damage Equine vet. Educ. 1989, 1:42 - 46

Dyson S. Musculoskeletal injuries of the equine athlete - are these sports related? Proc. Int. Equine Sports Medicine Meeting, Stockholm 1990, pp 82 - 88

Dyson S. Fractures of the accessory carpal bone. Equine vet. Educ. 1990, 2: 188 - 190

Dyson S. Current nomenclature relating to radiographic projections. Equine vet. Educ. 1990, 2: 161-162

Muir G, Leach D, Cymbaluk N & **Dyson, S.** Velocity - dependent changes in intrinsic stride timing variables of Quarter horse foals. Proc. of 3rd International Equine Exercise Physiology Conference 1990, pp 141-145

Dyson S. Lameness due to pain associated with the distal interphalangeal joint: 45 cases. Equine vet. J. 1991, 23:128-135

Dyson S. Proximal suspensory desmitis: clinical, ultrasonographic and radiographic features. Equine vet. J. 1991, 23: 25 - 31

Dyson S. Selecting a machine for diagnostic ultrasound examinations in horses. Equine vet. Educ.1991, 3: 161-165

Dyson S. Desmitis of the accessory ligament of the deep digital flexor tendon: 27 cases (1986-1990). Equine vet. J. 1991, 23: 438-444

Dyson S. Musculoskeletal injuries of the equine athlete - are these sports related? Austr. Equine Vet. 1991, 9: 67 - 71

Bentley H & **Dyson S.** Practical ultrasound physics - how to make optimal use of your machine. Equine vet. Educ. 1991, 3: 227-231

Dyson S, Wright I, Kold S & Vatistas N. Clinical and radiographic features, treatment and outcome in 15 horses with fracture of the medial aspect of the patella. *Equine vet. J.* 1992, 24: 264 - 268

Dyson S & Kidd L. Five cases of gastrocnemius tendinitis in the horse. *Equine vet. J.* (1992) 24: 351 – 356

Dyson S. Ultrasonographic examination of the metacarpal and metatarsal regions in the horse. *Equine vet. Educ.* 1992, 4: 139-144

Dyson S. Ultrasonographic examination of the pastern region *Equine vet. Educ.* 1992, 4: 254-256

Wright I, Vatistas N & Dyson S. Osteochondrosis of the lateral trochlear ridge of the equine & femoropatellar joint: A comparison between arthroscopy and arthrotomy. *Proc. Am. Assoc. Equine Pract.* 1992, 38: 151-152

Dyson S, Wright I, Kold S & Vatistas N. Partial patellectomy as a treatment of intra-articular fractures of the medial aspect of the patella. *Proc. Am. Assoc. Equine Pract.* 1992, 38: 171-172

Dyson S & Romero J. An investigation of injection techniques for local analgesia of the distal tarsus and proximal metatarsus *Equine vet. J.* 1993, 25: 30-35

Dyson S. The potential value of diagnostic ultrasonography for assessment of the equine superficial digital flexor tendon *Vet. Annual* 1993, 33: 157-164

Dyson S & Kidd L. A comparison of responses to analgesia of the navicular bursa and intra-articular analgesia of the distal interphalangeal joint in 59 horses. *Equine vet. J.* 1993, 25: 93-98

Ricardi G & Dyson S. Forelimb lameness associated with radiographic abnormalities of the cervical vertebrae. *Equine vet. J.* 1993, 25: 422-426

Dyson S. Proximal suspensory desmitis in the hindlimb: 42 cases *British vet. J.* 1994, 150: 279-291

Dyson S. Stifle trauma in the event horse. *Equine vet. Educ.* 1994, 6: 234-240

Palmer S, Genovese R, Longo K, Goodman N & Dyson S. Practical management of superficial digital flexor tendinitis in the performance horse. *Vet. Clin. N. Amer.: Equine Pract.* 1994, 10: 425-48

Dyson S. Radiography and radiology of the equine shoulder and elbow *Equine vet. Educ.* 1995, 7:

229-235

Barr A, Dyson S, Barr F & O'Brien J. Tendonitis of the deep digital flexor tendon in the distal metacarpal/metatarsal region associated with tenosynovitis of the digital sheath in the horse. *Equine vet. J.* 1995, 27: 348-355

Dyson S. Comparison of responses to analgesia of the navicular bursa and intra-articular analgesia of the distal interphalangeal joint in 102 horses. *Proc. Amer. Assoc. Equine Pract.* 1995, 41: 234-239

Dyson S. Diagnosi e trattamento delle forme caratterizzate da dolore a livello della parte distale del garretto. Distal hock joint pain: diagnosis and management. *Ippologia* 1995, 6: 7-23

Dik K, **Dyson S** & Vail T. Aseptic tenosynovitis of the digital flexor tendon sheath, fetlock and pastern annular ligament construction. *Vet. Clin. N. Amer.: Equine Practice* 1995, 11: 151-162

Dyson S, Arthur R, Palmer S & Richardson D. Suspensory ligament desmitis. *Vet. Clin. N. Amer.: Equine Practice* 1995, 11: 177-216

Dyson S & Denoix J. Tendon, tendon sheath and ligament injuries in the pastern *Vet. Clin. N. Amer.: Equine Practice* 1995, 11: 217-234

Dyson S & Dik K. Miscellaneous conditions of tendons, tendon sheaths and ligaments. *Vet. Clin. N. Amer.: Equine Practice* 1995, 11: 315-338

Dyson S. Proximal suspensory desmitis in the hindlimb. *Equine vet. Educ.* 1995, 7: 275- 278

Vatistas N, Wright I & **Dyson S.** Comparison of arthroscopy and arthrotomy for the treatment of osteochondritic lesions in the femoropatellar joint of horses. *Vet. Rec.* 1995, 137: 629 - 632

Marlin D, Harris P, Schroter R, Harris R, Roberts C, Scott C, Orme C, Dunnett M, **Dyson S**, Barrelet F, Williams B, Marr C & Casas I. Physiological, metabolic and biochemical responses of horses competing in the speed and endurance phase of a CCI**** 3-day-event. *Equine vet. J.* 1995, Suppl. 20 : 37-46

Vatistas N, Pascoe J, Wright I & **Dyson S.** Infection of the intertubercular bursa in horses: 4 cases (1978 - 1991). *J. Amer. vet. med. Assoc.* 1996, 208: 1434 - 1437

Mair T, **Dyson S**, Fraser J, Edwards G, Hillyer M & Love S. Hypertrophic osteopathy (Marie's disease) in Equiade: a review of twenty-four cases. *Equine vet. J.* 1996, 28: 256-262

Smith R, Dyson S, Head M & Butson R. Ultrasonography of the equine triceps muscle before and after general anaesthesia and in post anaesthetic myopathy *Equine vet. J.* 1996, 28: 311-319

Dyson S. Diagnosis and prognosis of suspensory desmitis. *Proceedings of the 1996 Dubai International Equine Symposium* pp 207-226

Marlin D, Scott CM, Schroter RC, Mills P, Harris R, Harris P, Orme C, Roberts C, Marr C, **Dyson S** & Barrelet F. Physiological responses in nonheat acclimated horses performing treadmill exercise in cool (20°C/40%RH), hot dry (30°C/40%RH) and hot humid (30°C/80%RH) conditions. *Equine vet. J. Suppl.* 1996, 22: 70-84

Dyson S. Musculoskeletal injuries in the horse: the uses and limits of diagnostic ultrasonography. Proceedings of the Association for Equine Sports Medicine, 15th Meeting on Equine Sports Welfare and Sports Medicine. Bonn, Germany, Pferdeheilkunde 1996, 24: 681-683

Dyson S. An approach to hindlimb lameness. 1. History and physical examination. In Practice 1996, 18: 458-467

Dyson S. An approach to hindlimb lameness. 2. Gait assessment, flexion tests and what to do next. In Practice 1997, 19: 14-20

Dyson S. An approach to hindlimb lameness. 3. Local analgesic techniques. In Practice 1997, 19: 82-88

Dyson S. An approach to hindlimb lameness. 4. Practical aspects of local analgesia. In Practice 1997, 19:146-153

Dyson S. An approach to hindlimb lameness. 5. Ancillary diagnostic aids. In Practice 1997, 19: 216-224

Dyson S. Treatment of superficial digital flexor tendinitis: A comparison of conservative management, sodium hyaluronate and glycosaminoglycan polysulphate. Proc. Amer. Assoc. Equine Pract. 1997, 43: 297-300

Dyson S. Superficial digital flexor tendonitis: A comparison of treatment methods and rehabilitation programmes. In: Proceedings of Conference on Equine Sports Medicine. Ed. Lindner, A., Wageningen Pers, The Netherlands 1998, pp. 111-118.

Dyson S. The puzzle of distal interphalangeal joint pain. Equine Vet. Educ. 1998, 10: 119-125

Dyson S. Lameness in the elite show jumper. In: Proceedings of Conference on Equine Sports Medicine & Science. Ed. Lindner, Lensing Druck, Dortmund 2000 pp 211 -220.

Dyson S. Proximal suspensory desmitis in the forelimb and the hindlimb. Proc. Amer. Assoc. Equine Practice 2000, 46: 137 – 142

Dyson S. Lameness and poor performance in the sports horse: dressage, show jumping and horse trials (eventing). Proc. Amer. Assoc. Equine Practice 2000, 46: 308 – 315

Dyson S, Lakhani K & Wood J. Factors influencing blood flow in the equine digit and their effect on uptake of ^{99m} technetium methylene diphosphonate into bone. Equine Vet J. 2001, 33 (6) 591-598

Clegg P, **Dyson S**, Summerhays G & Schramme M. Scapulohumeral osteoarthritis in 20 Shetland ponies, Miniature horses and Falabella ponies. Vet Rec. 2001, 148: 175-179

Head, M., **Dyson, S.** Talking the temperature of equine thermography. The Vet. J. 2001, 162: 166-167

Kidd J, **Dyson S** & Barr A. Septic flexor tendon core lesions in five horses. *Equine vet J.* 2002, 34:213-216

Dyson S. Subjective and quantitative scintigraphic assessment of the equine foot and its relationship with foot pain. *Equine vet J.* 2002, 34: 164 – 170

Dyson S. Normal ultrasonographic anatomy and injury of the patellar ligaments in the horse. *Equine vet J.* 2002, 34: 258-264

Dyson S, Murray R, Schramme M. & Branch M. Magnetic resonance imaging in 18 horse with palmar foot pain. *Proc. Amer. Assoc. Equine Pract.* 2002, 48: 145 – 154

Crowe O, **Dyson S,** Wright I, Schramme M & Smith R. Treatment of 45 cases of chronic hindlimb proximal suspensory desmitis by radial extracorporeal shockwave therapy. *Proc. Amer. Assoc. Equine Pract.* 2002, 48: 322 – 325

Dyson S. Lameness associated with the stifle and pelvic regions. *Proc. Amer. Assoc. Equine Pract.*, 48: 387 – 411

Dyson S. Poor performance: cannot or will not? *Proc. Conference on Equine Sports Medicine and Science 2002: The elite dressage and three day event horse, Saumur, France.* p 43 – 54

Dyson S, Murray R., Schramme M & Branch M. Magnetic resonance imaging of the equine foot: 15 horses. *Equine Vet. J.* 2003, 35:18 – 26

Dyson S, Murray R, Branch M, Whitton C, Donovan T & Hardy E. The sacroiliac joints: evaluation using nuclear scintigraphy Part I: The normal horse. *Equine vet J.* 2003, 35: 226 – 232

Dyson S, Murray R, Branch M & Harding E. The sacroiliac joints: evaluation using nuclear scintigraphy Part 2: Lame horses. *Equine vet J.* 2003, 35: 233 – 239

Dyson S and Murray R. Pain associated with the sacroiliac joint region: a clinical study of 74 horses. *Equine vet. J.* 2003, 35: 240 – 245

Murray R, **Dyson S,** Schramme M, Branch M & Wood S. Magnetic resonance imaging of the equine digit with chronic laminitis. *Vet. Radiol. & Ultrasound* 2003, 44: 609-617

Dyson S & Marks D. Foot pain and the elusive diagnosis. *Vet. Clin. N. Amer.: Equine Pract.* 2003, 19: 531 – 563

Dyson S, Murray R, Schramme M & Branch M. Lameness in 46 horses associated with deep digital flexor tendonitis in the digit: diagnosis confirmed with magnetic resonance imaging. *Equine vet. J.* 2003, 35: 681 - 690

Dyson S. Proximal metacarpal and metatarsal pain: a diagnostic challenge. *Equine vet. Educ.* 2003, 15: 134 – 138

Crowe O, **Dyson S**, Wright I, Schramme M & Smith R. Treatment of chronic or recurrent proximal suspensory desmitis using radial pressure wave therapy in the horse. *Equine vet J.* 2004, 36: 313 – 316

Weekes J, Murray R & **Dyson S**. Scintigraphic evaluation of metacarpophalangeal and metatarsophalangeal joints in clinically sound horses. *Vet. Radiol & Ultrasound.* 2004, 45: 85 – 90

Murray R, Roberts B, Schramme M, **Dyson S** & Branch, M. Quantitative evaluation of equine deep digital flexor tendon morphology using magnetic resonance imaging. *Vet. Radiol & Ultrasound* 2004, 45: 103 – 111

Dyson S, Murray R, Schramme M & Branch M. Collateral desmitis of the distal interphalangeal joint in 18 horses (2001 - 2002). *Equine vet J.* 2004, 36: 160 – 166

Dyson S. Medical management of superficial digital flexor tendonitis Proc. 12th Annual Meeting of the European College of Veterinary Surgeons, Glasgow 2003 pp 112 – 114

Murray R, **Dyson S**, Weekes J, Short C & Branch M. Nuclear scintigraphic evaluation of the distal tarsal region in normal horses. *Vet. Radiol & Ultrasound* 2004, 45: 345 – 351

Dyson S. Medical management of superficial digital flexor tendonitis: a comparative study in 219 horses (1992 – 2000) *Equine vet J.* 2004, 36: 415 – 419

Dyson S & Murray R. Collateral desmitis of the distal interphalangeal joint in 62 horses (January 2001 – December 2003) *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 248 - 256

Branch M, Murray R, Dyson S, and Goodship A. Site specific, age-related changes and their implications for joint disease. *Osteoarthritis and Cartilage* (2004) 12 Supp B: S32

Kristoffersen M, **Dyson S**, Murray R, Schramme M & Lama A. Magnetic resonance imaging and scintigraphic findings in five horses with obscure foot lameness associated with penetrating injuries. *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 320 - 327

Smith S, **Dyson S**, Murray R, & Weekes J. Is there an association between distal phalanx angles and deep digital flexor tendon lesions? *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 328 – 331

Dyson S. Pain associated with the sacroiliac joint region: A diagnostic challenge *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 357 – 360

Crowe O, **Dyson S**, Wright I, Schramme M & Smith R. Treatment of chronic or recurrent proximal suspensory desmitis using radial pressure wave therapy. *Equine Vet. J.* 2004, 36: 313 - 316

Dyson S & Murray R. Clinical features of pain associated with the sacroiliac joint region: A European perspective *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 367 – 371

Dyson S, Murray R & Branch M. Uses and limitations of nuclear scintigraphy for evaluation of the sacroiliac region. *Proc. Amer. Assoc. Equine Pract.* 2004, 50: 379 – 384

Murray R, **Dyson S**, Weekes J, Short C & Branch M. Scintigraphic evaluation of the distal tarsal region in horses with distal tarsal pain. *Vet. Radiol. & Ultrasound* 2005, 46 (2) 171 – 178

Boado A, Kristoffersen M, **Dyson S** & Murray R. Use of nuclear scintigraphy and magnetic resonance imaging to diagnose chronic penetrating wounds in the equine foot. *Equine Vet. Educ.* 2005, 17: 62 - 68

Dyson S, Schramme, M., Murray R. Lameness associated with foot pain: results of magnetic resonance imaging in 199 horses (January 2001 – December 2003) and response to treatment. *Equine vet. J.* 2005, 37: 113 – 121

Smith R, **Dyson S**, Schramme M, Head M, Payne R, Platt D & Walmsley J. Osteoarthritis of the talocalcaneal joint in 18 horses. *Equine vet. J.* 2005, 37: 166-171

Eliashar E, **Dyson S**, Archer A, Singer E & Smith R. Two clinical manifestations of desmopathy of the accessory ligament of the deep digital flexor tendon in the hindlimb of 23 horses. *Equine vet. J.* 2005, 37: 495 – 500

Branch M, Murray R, **Dyson S** & Goodship A. Is there a characteristic distal tarsal subchondral bone plate thickness pattern in horses with no history of hindlimb lameness? *Equine vet. J.* 2005,37: 450 – 455

Schramme M, Murray R, Blunden T & **Dyson S**. A comparison between magnetic resonance imaging, pathology & radiology in 34 limbs with navicular syndrome and 25 control limbs. *Proc. Amer. Assoc. Equine Pract.* 2005, 51: 348 – 358

Boswell J, Schramme M, Murray R & **Dyson S**. Low or high field MRI in equine lameness diagnosis. *Proc. Europ. College Vet Surg.* 2005, pp 180 – 194

Dakin S, Robson K & **Dyson S**. Fractures of ossified cartilages of the foot: 10 cases. *Equine vet. Educ.* 2006, 18: 130 – 138

Murray R, Schramme M, **Dyson S**, Branch M & Blunden A. Magnetic resonance imaging characteristics of the foot in horses with palmar foot pain and control horses. *Vet. Radiol & Ultrasound* 2006, 47: 1-16

Murray R, Blunden T, Schramme, M & **Dyson S**. How does magnetic resonance imaging represent histologic findings in the equine digit? *Vet. Radiol & Ultrasound* 2006, 47: 17 - 31

Blunden T, **Dyson S**, Murray R & Schramme M. Histopathology in horses with chronic palmar foot pain and age-matched control horses Part 1: Navicular bone & related structures. *Equine Vet. J.* 2006, 38: 15 – 22

Blunden T, **Dyson S**, Murray R & Schramme M. Histopathology in horses with chronic palmar foot pain and age-matched control horses Part 2: The deep digital flexor tendon. *Equine Vet. J.* 2006, 38: 23-27

Weekes J, Murray R & **Dyson S**. Scintigraphic evaluation of the proximal metacarpal and metatarsal regions in clinically sound horses. *Vet. Radiol. & Ultrasound* 2006, 47: 409 – 416

Dyson S, Murray R, Blunden T & Schramme M. Current concepts of navicular disease. Equine Vet. Educ. 2006, 18: 45 – 56

Murray R, **Dyson S**, Tranquille C & Adams V. Association of type of sport and performance level with anatomical site of orthopaedic injury and injury diagnosis. Equine Vet. J. 2006, 36 (Suppl. 36): 411 -416

Senior M, Pinchbeck G, Allister R, Dugdale A, Clarke L, Clutton R, Coumbe K, **Dyson S** & Clegg P. Post anaesthetic colic in horses: a preventable complication? Equine vet. J. 2006, 38: 479 – 484

Andersen M, Clarke L, **Dyson S** & Newton R. Risk factors for colic after general anaesthesia for MRI or non-abdominal surgery: absence of evidence of effect from perianaesthetic morphine. Equine vet. J. 2006, 38: 368 – 374

Dyson S & Murray R. Osseous trauma in the fetlock region of mature sports horses. Proc. Amer. Assoc. Equine Pract. 2006, 52: 443 - 456

Dyson S, Murray R & Weekes J. How useful is nuclear scintigraphy in the diagnosis & management of proximal suspensory desmitis in the horse? Proc. Amer. Assoc. Equine Pract. 2006, 52: 405 - 411

Dyson S. Diagnosis of proximal suspensory desmitis in the forelimb and hindlimb. Proc. Conference on Equine Sports Medicine (CESMAS): Management of lameness causes in sport horses 2006 pp 43 – 52

Dyson S & Murray R. Magnetic resonance imaging of the equine foot. Clinical Techniques in Equine Practice. 2007, 6: 46 – 61

Dyson S & Murray R. Magnetic resonance imaging of the equine fetlock. Clinical Techniques in Equine Practice. 2007, 6: 62 - 77

Murray R & **Dyson S**. Image interpretation and artifacts. Clinical Techniques in Equine Practice. 2007, 6: 16 - 25

Murray R, **Dyson S**, Branch M & Schramme M. Validation of magnetic resonance imaging use in equine limbs. Clinical Techniques in Equine Practice. 2007, 6: 26 - 36

Branch M, Murray R, **Dyson S** & Goodship A. Magnetic resonance imaging of the equine tarsus . Clinical Techniques in Equine Pract. 2007, 6: 96 - 102.

Down S, **Dyson S** & Murray R. Ossification of the cartilages of the foot. Equine vet. Educ. 2007,19: 51-56.

Dyson S and Murray R. The equine carpus. Clinical Techniques in Equine Practice 2007, 20: 390 – 406.

Dyson S, Weekes J, Murray R. Scintigraphic evaluation of the proximal metacarpal and metatarsal regions of horses with proximal suspensory desmitis. *Vet. Radiol. & Ultrasound* 2007, 48: 78 – 85

Branch M, Murray R, **Dyson S** & Goodship A. Alteration of distal tarsal subchondral bone thickness pattern in horses with tarsal pain. *Equine vet J.* 2007, 39: 101 - 105

Murray R, Branch M, **Dyson S**, Parkin T & Goodship A. How does exercise intensity and type affect equine distal tarsal subchondral bone thickness? *J. Appl. Phys.* 2007, 102: 2194 - 2200.

Nagy A, **Dyson S** and Murray R. Scintigraphic examination of the cartilages of the foot. *Equine vet.J.* 2007, 39: 250 - 256

Dyson S, McNie K, Weekes J & Murray R. Scintigraphic evaluation of the stifle in normal horses and horses with forelimb lameness. *Vet. Radiol. & Ultrasound.* 2007, 48: 378 - 382

Dyson S & Murray R. Verification of scintigraphic imaging for injury diagnosis in 264 horses with foot pain. *Equine vet. J.* 2007, 39: 350 - 355

Dyson S & Murray R. Use of concurrent scintigraphic and magnetic resonance imaging evaluation to improve understanding of the pathogenesis of injury of the podotrochlear apparatus. *Equine vet. J.* 2007, 39: 365 – 369

Dyson S & Murray R. Magnetic resonance imaging evaluation of 264 horses with foot pain: the podotrochlear apparatus, deep digital flexor tendon and collateral ligaments of the distal interphalangeal joint. *Equine Vet. J.* 2007, 39: 340 - 343

Bailey R, **Dyson S** & Parkin T. Focal increased radiopharmaceutical uptake in the dorsoproximal diaphyseal region of the equine proximal phalanx. *Vet. Radiol & Ultrasound* 2007, 48: 460 - 466

Dyson S. Diagnosis and management of common suspensory lesions in the forelimbs and hindlimbs of sports horses. *Clin. Techniques in Equine Pract.* 2007, 6: 179 - 188

Dyson S. Nuclear scintigraphy: Uses and limitations *The Vet J.* 2007, 173: 14 – 15

Dyson S. Superficial digital flexor tendon injuries in teenage and older horses. *Equine Vet Educ.* 2007, 19: 187-188.

Dyson S & Murray R. Lameness and diagnostic imaging in the sports horse: Recent advances related to the digit. *Proc Amer Assoc Equine Pract.* 2007; 53: 262 - 275

Nagy A and **Dyson S.** A scintigrafias vizsgalat szerepe a lovak mozgásszervi eredetu bantalmainak diagnosztizálásában. Resz 1 Role of scintigraphy in diagnosing orthopaedic injuries in horses. Part 1 *Hungarian Vet J* 2007, 129: 140-146.

Nagy A and **Dyson S.** A scintigrafias vizsgalat szerepe a lovak mozgásszervi eredetu bantalmainak diagnosztizálásában. Resz 1 (Role of scintigraphy in diagnosing orthopaedic injuries in horses. Part 2 *Hungarian Vet J* 2007, 129: 195-207.

- Dyson, S.**, Murray, R., Blunden, T., Schramme, M. Aktuelle Erkenntnisse bezüglich der hufrollenerkrankung – eine Übersicht – Teil 1 Pferde Spiegel 2007, 3: 82 – 86
- Dyson, S.**, Murray, R., Blunden, T., Schramme, M. Aktuelle Erkenntnisse bezüglich der hufrollenerkrankung – eine Übersicht – Teil 2 Pferde Spiegel 2007, 3: 124 – 129
- Nagy, A., **Dyson, S.**, Murray, R. Radiographic, scintigraphic and magnetic resonance imaging findings in the palmar processes of the distal phalanx. Equine vet. J. 2008, 40 (1) 57 - 63
- Robson, K., Kristoffersen, M., **Dyson, S.** Palmar or plantar process fractures of the distal phalanx in riding horses: 22 cases (1994 – 2003) Equine vet. Educ. 2008, 20: 40 - 46
- Owen, R., **Dyson, S.**, Kristoffersen, M., Mair, T., Singer, E. Retrospective study of palmar /plantar annular ligament injury in 71 horses: 2001 – 2006. Equine vet. J. 2008, 40: 237 - 244
- Dyson, S.**, Blunden, T., Murray, R. The collateral ligaments of the distal interphalangeal joint: magnetic resonance imaging and post mortem observations in 25 lame horses and 12 control horses. Equine vet. J. 2008, 40: 538 – 544
- Smith, M., **Dyson, S.**, Murray, R. Is a magic angle effect observed in the collateral ligaments of the distal interphalangeal joint or the oblique sesamoidean ligaments during standing magnetic resonance imaging? Vet. Radiol & Ultrasound. 2008, 49: 509 – 515
- Smith, S., **Dyson, S.**, Murray, R. Magnetic resonance imaging of distal sesamoidean ligament injury Vet. Radiol & Ultrasound. 2008, 49: 516 - 528
- Dyson, S.** Radiological interpretation of the navicular bone. Equine Vet. Educ. 2008, 20: 268 – 280
- Barnett, K., Blunden, T., Murray, R., **Dyson, S.** Blindness, optic atrophy and sinusitis in the horse. Vet. Ophthalmology 2008, 11: Suppl. 1, 20 - 26
- Dyson, S.** Clinical features of pain associated with the sacroiliac joint region. Pratique Vétérinaire Équine 2008, 40: 123 – 128,
- Tranquille, C., Blunden, A., **Dyson, S.**, Parkin, T., Murray, R. Effect of exercise on thickness of mature hyaline cartilage, calcified cartilage and subchondral bone of equine tarsi. Am. J. Vet. Res. 2009, 70: 1477-1483
- Murray, R., Branch, M., Tranquille, C., **Dyson, S.**, Parkin, T., Goodship, A. Evaluation of age-related changes in the structure of the equine tarsometatarsal osteochondral unit. Amer. J. Vet. Res. 2009, 70:1: 30 - 36
- Girodroux, M., **Dyson, S.**, Murray, R. Osteoarthritis of the thoracolumbar synovial intervertebral articulations: Clinical and radiographic features in 77 horses with poor performance and back pain. Equine Vet. J. 2009, 41: 130 – 138
- Blunden, T., **Dyson, S.**, Murray, R. Lesions of the deep digital flexor tendon in the digit: A correlative MRI and post mortem study in control and lame horses. Equine Vet. J. 2009, 41: 25 – 33

Nagy, A., Bodo, G., **Dyson, S.**, Szabo, F., Barr, A. Diffusion of contrast medium after perineural injection of the palmar nerves: An *in vivo* and *in vitro* study. *Equine Vet. J.* 2009, 41: 379 – 383

Dyson, S. The clinician's eye view of hindlimb lameness in the horse: Technology and cognitive evaluation. *Equine Vet J* 2009, 41: 99-100.

Gillen, A., **Dyson, S.**, Murray, R. Nuclear scintigraphic assessment of the thoracolumbar synovial intervertebral articulations. *Equine Vet. J* 2009, 41: 534-540.

Biggi, M., **Dyson, S.**, Murray, R. Scintigraphic assessment of the metacarpophalangeal and metatarsophalangeal joints of horses with joint pain. *Vet. Radiol. & Ultrasound* 2009, 50: 536 – 544

Meehan, L., **Dyson, S.**, Murray, R. Radiographic and scintigraphic evaluation of spondylosis in the equine thoracolumbar spine: A retrospective study. *Equine vet. J.* 2009, 41: 800 – 807

Dyson, S. Lesions of the proximal aspect of the humerus and the tendon of biceps brachii. *Equine vet. Educ.* 2009, 21: 67 – 70

Dakin, S., **Dyson, S.**, Murray, R., Tranquille, C. Osseous abnormalities associated with collateral desmopathy of the distal interphalangeal joint : Part 1. *Equine vet J.* 2009, 41: 786 – 793

Dakin, S., **Dyson, S.**, Murray, R., Newton, R. Osseous abnormalities associated with collateral desmopathy of the distal interphalangeal joint : Part 2 Treatment and outcome. *Equine Vet J* 2009, 41: 794 – 799

Nagy, A., **Dyson, S.** Magnetic resonance findings in the carpus and proximal metacarpal region of non-lame horses. *Proc. Amer. Assoc. Equine Pract.* 2009, 55: 408 – 417

Murray, R., Blunden A., Branch, M., Tranquille, C., **Dyson, S.**, Parkin, T., Goodship, A. Evaluation of age related changes in the equine tarsometatarsal osteochondral unit. *Am. J. Vet. Res.* 2009, 70: 30 – 36

Nagy, A., **Dyson, S.** Magnetic resonance anatomy of the proximal metacarpal region of the horse described from images acquired from low-and high-field magnets. *Vet. Radiol. & Ultrasound* 2009, 50: 595 – 605

Murray, R., Walters, J., Snart, H., **Dyson, S.**, Parkin, T. Identification of risk factors for lameness in dressage horses. *The Vet. J.* 2010, 184: 27 – 36

Dyson, S., Pool, R., Blunden, T. Murray, R. The distal sesamoidean impar ligament: Comparison between its appearance on magnetic resonance imaging and histology of the axial one-third of the ligament. *Equine Vet. J.* 2010, 42: 332 – 339

Dyson, S. Injuries of the accessory ligament of the deep digital flexor tendon in the equine hindlimb: A problem of middle-age. *The Vet. J.* 2010, 184: 255 – 256

Nagy, A., Bodo, G., **Dyson, S.**, Compostella, F. Barr, A. Distribution of radiodense contrast medium after perineural injection of the palmar and palmar metacarpal nerves (low 4-point nerve block): An *in vivo* and *ex vivo* study in horses. Equine vet J. 2010, 42: 512-518

Fairburn, A., **Dyson, S.**, Murray, R. Clinical significance of osseous spurs on the dorsoproximal aspect of the third metatarsal bone. Equine vet. J. 2010, 42: 591-599

Dyson, S., Brown, V., Collins, S., Murray, R. Is there an association between ossification of the cartilages of the foot and collateral desmopathy of the distal interphalangeal joint or distal phalanx injury? Equine Vet. J. 2010, 42: 504-511

Nagy, A., **Dyson, S.**, Barr, A. Ultrasonographic findings in the lumbosacral joint of 43 horses with no clinical signs indicative of back pain or hindlimb lameness. Vet Radiol & Ultrasound 2010, 51: 533 - 539

Murray, R., Walters, J., Snart, S., **Dyson, S.**, Parkin, T. How do features of dressage arenas influence training surface properties which are potentially associated with lameness? The Vet. J. 2010, 186: 172 – 179

Biggi, M., **Dyson, S.** Comparison between radiological and magnetic resonance imaging lesions in the distal border of the navicular bone with particular reference to distal border fragments and osseous cyst-like lesions. Equine vet J. 2010, 42: 707-712

Simon, V. **Dyson, S.** Radiologic anatomic variation of the carpus in horses with carpal lameness and control horses. Vet. Radiol. & Ultrasound 2010, 51: 601-606

Nagy, A., Murray, J., **Dyson, S.** Elimination from elite endurance rides in nine countries: A preliminary study. Equine vet J. 2010, 42 Suppl 38: 637 – 643

Dyson, S. Is degenerative change within hindlimb suspensory ligaments a prelude to all types of injury? Equine vet. Educ. 2010, 22: 271–274

Dyson, S., Murray, R. Injuries associated with ossification of the cartilages of the foot. Proc. Amer. Assoc. Equine Pract. 2010, 56: 152 – 165

Naylor, R., Dunkel, B., **Dyson, S.**, Paz-Penuelas, M., Dobson, J. A retrobulbar meningioma as a cause of unilateral exophthalmus and blindness in a horse. Equine vet. Educ. 2010, 22: 503 – 510

Beck, S., Blunden, T., **Dyson, S.**, Murray, R. Are matrix and vascular changes involved in the pathogenesis of deep digital flexor tendon injury in the horse? The Vet J 2011, 189: 289-295

Biggi, M., **Dyson, S.** High-field magnetic resonance imaging investigation of distal border fragments of the navicular bone in horses with foot pain. Equine Vet J. 2011, 43: 302-308

Tranquille, C., **Dyson, S.**, Blunden, A., Parkin, T., Goodship, A., Murray, R. Histopathological features of distal tarsal joint cartilage and subchondral bone in ridden and pasture-exercised horses. Amer. J. Vet. Res. 2011, 72: 33 – 41

Dyson, S. Radiological interpretation of the navicular bone. *Equine Vet. Educ.* 2011, 23: 73-87

Dyson, S. Non-septic osteitis of the distal phalanx and its palmar processes. *Equine Vet. Educ.* 2011, 23: 472-485

Dyson S, Murray R, Blunden T and Schramme M. Current concepts of navicular disease. *Equine Vet. Educ.* 2011, 23: 27-39

Dyson, S., Tranquille, C., Collins, S., Parkin, T., Murray, R. An investigation of the relationships between angles and shapes of the hoof capsule and the distal phalanx. *Equine Vet J.* 2011, 43: 295 - 301

Dyson, S., Tranquille, C., Collins, S., Parkin, T., Murray, R. External characteristics of the lateral aspect of the hoof differ between non-lame and lame horses. *The Vet. J.* 2011, 190: 364-371

Collins, S., **Dyson, S.,** Murray, R., Burden, F., Trawford, A. Radiological anatomy of the donkey's foot: Objective characterisation of the normal and laminitic donkey foot. *Equine Vet. J.* 2011, 43: 478 - 486

Dyson, S., Nagy, A. Injuries associated with the cartilages of the foot. *Equine Vet. Educ.* 2011, 23: 581- 593

Nagy, A., **Dyson, S.** Anatomical, magnetic resonance imaging and histological findings in the accessory ligament of the deep digital flexor tendon of forelimbs in non-lame horses. *Equine vet. J.* 2011, 43: 309-316

Smith, M., **Dyson, S.,** Murray, R, The appearance of the equine metacarpophalangeal region on high-field vs. standing low-field magnetic resonance imaging. *Vet. Radiol. & Ultrasound* 2011, 52: 61-70

Nagy, A., **Dyson, S.** Magnetic resonance anatomy of the carpus of the horse described from images acquired from low-field and high-field images. *Vet. Radiol & Ultrasound* 2011, 52: 273-283

Zimmerman, M., **Dyson, S.,** Murray, R. Comparison of radiographic and scintigraphic findings of the spinous processes in the equine thoracolumbar region. *Vet. Radiol & Ultrasound* 2011, 52: 661- 671

Dyson, S. Lesions of the equine neck resulting in lameness or poor performance. *Vet. Clin. N. Amer.: Equine Practice*, 2011, 27: 417-437

Dyson, S. Can lameness be reliably graded? *Equine Vet. J.* 2011, 43: 379-382

Dyson, S., Nagy, A., Murray, R. Clinical and diagnostic imaging findings in horses with subchondral bone trauma of the sagittal groove of the proximal phalanx. *Vet Radiol & Ultrasound* 2011, 52: 596-604

Dyson, S. Enigma of enostosis-like lesions in the horse. *Vet. Rec.* 2011, 168: 324 – 325

Collins, S., **Dyson, S.**, Murray, R., Newton, R. Burden, F., Trawford, A. Development of a quantitative multivariable radiographic method to evaluate anatomic changes associated with laminitis in the forefeet of donkeys. *Am. J. Vet. Res.* 2012, 73: 1207 - 1218

Zimmerman, M., **Dyson, S.**, Murray, R. Close, impinging and overriding spinous processes in the thoracolumbar spine: The relationship between radiological and scintigraphic findings and clinical signs. *Equine vet J.* 2012, 44: 178-184

Nagy, A., **Dyson, S.** Magnetic resonance imaging and histological findings in the proximal aspect of the suspensory ligament of forelimbs in non-lame horses. *Equine vet. J.* 2012, 44: 43 – 50

Morgan, R., **Dyson, S.** Incomplete longitudinal fractures and fatigue injury of the proximopalmar medial aspect of the third metacarpal bone in 55 horses. *Equine vet. J.* 2012, 44: 64-70

Nagy, A., **Dyson, S.** Magnetic resonance imaging findings in the carpus and proximal metacarpal region of 50 lame horses. *Equine vet. J.* 2012, 44: 163-168

Dyson, S., Murray, R. Management of hindlimb proximal suspensory desmopathy by neurectomy of the deep branch of the lateral plantar nerve and plantar fasciotomy: 155 horses (2003 – 2008). *Equine vet J.* (2012) 44: 361-367

Dyson, S. Proximal injuries of the accessory ligament of the deep digital flexor tendon in forelimbs and hindlimbs: 12 horses (2006 – 2010) *Equine vet Educ.* 2012, 24: 134-142

Smith, M., **Dyson, S.**, Murray, R. Reliability of high-and low-field magnetic resonance imaging systems for detection of cartilage and bone lesions in the equine cadaver fetlock. *Equine vet J.* 2012, 44: 684-691

Simon, V., **Dyson, S.** Radiographic and scintigraphic evaluation of the third carpal bone of control horses and horses with carpal lameness. *Vet Radiol. & Ultrasound* 2012, 53: 465-473

Nagy, A., Gabor, B., **Dyson, S.** Diffusion of contrast medium after four different techniques for analgesia of the proximal metacarpal region: an *in vivo* and *in vitro* study. *Equine vet J.* 2012, 44: 668-673

Dyson, S., Blunden, T., Murray, R. Comparison between magnetic resonance imaging and histological findings in the navicular bone of horses with foot pain. *Equine vet J.* 2012, 44: 692 – 698

Fleck, S., **Dyson, S.** Lameness associated with tarsocrural joint pathology in 17 mature horses (1997 – 2010). *Equine vet Educ.* 2012, 24: 628-638

Biggi, M., **Dyson, S.** Distal border fragments and shape of the navicular bone: radiological evaluation in lame horses and horses free from lameness *Equine vet. J.* 2012, 44: 325-331

Nagy, A., **Dyson, S.**, Murray, J. The evolution of competitive endurance riding- a veterinary perspective.

The Vet. J. 2012, 194: 288 - 293

Biggi, M., Blunden T., **Dyson, S.** Can distal border fragments of the navicular bone be a primary cause of lameness? Equine Vet. Educ. 2013, 25: 347-351

Parkes, B., Newton, R., **Dyson, S.** An investigation of risk factors for foot-related lameness in a United Kingdom referral population of horses. The Vet J 2013, 196: 218-225

Dyson, S. Lameness associated with mineralisation of the central tarsal bone and a small osseous cyst-like lesion in two sports horses. J. Equine Vet. Sci. 2013, 33: 51-56

Biggi, M., **Dyson, S.** Hind foot lameness: results of magnetic resonance imaging in 38 horses (2001-2011) Equine vet. J. 2013, 45: 427 – 434

Greve, L., **Dyson, S.** An investigation of the relationship between hindlimb lameness and saddle slip. Equine Vet. J. 2013, 45: 570-577

Dyson, S. Equine lameness: clinical judgement meets advanced diagnostic imaging. Proc Amer. Assoc. Equine Practitioners 2013, 59: 92-122

Walker, V., **Dyson, S.**, Murray, R. Effect of a Pessoa training aid on temporal, angular and linear variables of the working trot. The Vet. J. 2013, 198: 404-411

Biggi, M., **Dyson, S.** Unusual navicular bone fractures in hindlimbs: clinical and imaging findings. J. Equine Vet. Sci. 2013, 33: 1082-1087

Tranquille, C., Breingan, J., Collins, S., **Dyson, S.**, Bloomer, S., Ellam, S., Wimpeny, D., Hall, J., Murray, R. Co-registration of nuclear scintigraphic and magnetic resonance data of the equine foot: a multimodality imaging “proof of principle” study. Pferdheilkunde 2013, 29: 581-590

Dyson, S. Are mesenchymal progenitor cells set to revolutionise management of musculoskeletal injuries in the horse? The Vet J. 2013, 197: 533-534

Greve, L., **Dyson, S.** The horse – rider – saddle interaction. The Vet. J. 2013, 195: 275 – 281

Nagy, A., **Dyson, S.**, Murray, J. Riders’ prediction of results at Fédération Equestre Internationale (FEI) endurance rides and sources of bias in questionnaires completed by riders. J. Preventative Vet Med. 2013, 112 (3-4) 378-386

Greve, L., **Dyson, S.** 2013. Fitting, using and maintaining your saddle.
http://www.aht.org.uk/skins/Default/pdfs/saddle_guide.pdf

Nagy, A., Murray, J., **Dyson, S.** Descriptive epidemiology and risk factors for eliminations from elite Fédération Equestre International endurance rides due to lameness and metabolic reasons (2008-2011). Equine Vet J. 2014, 46: 38-44

Nagy, A., Murray, J., **Dyson, S.** Horse, rider, venue and environment-related factors for elimination from Fédération Equestre International endurance rides due to lameness and metabolic reasons. Equine Vet J. 2014, 46: 294-299

Dyson, S. Musculoskeletal scintigraphy of the equine athlete. *Seminars in nuclear medicine*, 2014, 44: 4-14.

Marnieris, D., **Dyson, S.** Clinical features, diagnostic imaging findings and concurrent injuries in 71 sports horses with suspensory branch injuries. *Equine vet. Educ.* 2014, 26: 312-321

Greve, L., **Dyson, S.** The interrelationship of lameness, saddle slip and back shape in the general sports horse population. *Equine Vet J.* 2014, 46: 687-694

Dyson, S. Intermuscular heterotopic ossification in the shoulder region associated with a hopping-type forelimb lameness. *J. Equine Vet. Sci.* 2014, 34: 532-537

Greve, L., Murray, R., **Dyson, S.** Subjective analysis of exercise-induced changes in back dimensions of the horse: the influence of saddle-fit, rider-skill and work-quality. *The Vet. J.* 2015, doi:10.1016/j.tvjl.2015.06.009 206, 39-46

Nagy, A., **Dyson, S.** The challenge of diagnosing soft tissue injuries in the palmar aspect of the carpus. *Equine vet. Educ.* 2014, 26: 353 - 356

Dyson, S. Hindlimb lameness associated with proximal suspensory desmopathy and injury of the accessory ligament of the suspensory ligament: five horses. *Equine Vet. Educ.* 2014; 26, 538-542.

Dyson, S. Recognition of lameness: man versus machine. *The Veterinary Journal* 2014; 201, 245-248.

Dyson, S. Incomplete tears of the medial calcaneal insertion of the superficial digital flexor tendon of a hindlimb in three horses. *J. Equine Vet. Sci.* 2014, 34: 1188-1196.

Greve, L., **Dyson, S.** Saddle fit and management: an investigation of the association with equine thoracolumbar asymmetries, horse and rider health. *Equine Vet J.* 2015, 47: 415 - 421

Greve, L., **Dyson, S.** A longitudinal study of back dimension changes over one year in sports horses. *The Veterinary Journal* 2015, 203: 65-73

Skelly-Smith, E., Ireland, J., **Dyson, S.** The centrodistal joint interosseous ligament region in the tarsus of the horse: normal appearance, abnormalities and possible association with other tarsal lesions, including osteoarthritis. *Equine vet. J.* 2015, doi 10.1111/evj.12457

Manso-Diaz, G., **Dyson, S.**, Dennis, R., Garcia-Lopez, J., Biggi, M., Garcia-Real, I., San Roman, F.,

Taeymans, O. Magnetic resonance imaging characteristics of equine head disorders in the horse: 84 cases (2000-2013). *Vet. Radiol. Ultrasound* 2014, doi:10.1111/vru.12210

Parkes, R., Newton, R., **Dyson, S.** Is there an association between clinical features, response to diagnostic analgesia and radiological findings in horses with a magnetic resonance imaging diagnosis of navicular disease or other injuries of the podotrochlear apparatus? *The Vet. J.* 2015, 204: 40-46

Jones, L., **Dyson, S.** Radiography for evaluation of ossification of the ungular cartilages in horses: 270 cases (2005-2012). *J Amer Vet Med Assoc* 2015, 247: 801 -811

Plowright, E., **Dyson, S.** Concurrent proximal suspensory desmopathy and injury of the accessory ligament of the deep digital flexor tendon in forelimbs or hindlimbs of 19 horses. *Equine Vet. Educ.* 2015 27, 355 - 364

Dyson, S., Rasotto, R. Idiopathic hopping-type forelimb lameness syndrome in ridden horses: 46 horses (2002-2014) *Equine Vet. Educ.* 2016, 28: 30-39

Dyson, S., Greve, L. Saddles and girths: What is new? *The Vet. J.* 2016; 207, 73-79

Barstow, A., **Dyson, S.** Clinical features and diagnosis of sacroiliac joint region pain in 296 horses: 2004 – 2014. *Equine Vet. Educ.* 2015, 27: 637-647

Pilsworth, R., **Dyson, S.** Where does it hurt?: Problems with interpretation of regional and intra-synovial diagnostic analgesia. *Equine Vet. Educ.* 2015, 27: 595-603

Dyson, S. Evaluation of poor performance in competition horses: a musculoskeletal perspective. Part 1 Clinical assessment. *Equine Vet. Educ.* 2016, 28:284-293

Dyson, S. Evaluation of poor performance in competition horses: a musculoskeletal perspective. Part 2 Further investigation. *Equine Vet. Educ.* 2016, 28: 379-387

Dyson, S., Carson, S., Fisher, M. Saddle fitting, recognising an ill-fitting saddle and the consequences of an ill-fitting saddle to horse and rider. *Equine Vet. Educ.* 2015, 27: 533 - 543

Clayton, H., **Dyson, S.,** Harris, P., Bondi, A. Horses, saddles and riders: Applying the science. *Equine Vet. Educ.* 2015, doi:1111/eve.12407 27:447-452

Greve, L., **Dyson, S.** Body lean angle in sound dressage horses trotting in hand, on the lunge and ridden. *The Vet J* 2016, doi.org/doi: 10.1016/j.tvjl.2016.06.004. 217, 52-57.

Dyson, S., Murray, R., Pinilla, M. Proximal suspensory desmopathy in hindlimbs: a correlative clinical, ultrasonographic, gross post mortem and histological study. *Equine Vet. J.* 2017, doi: 10.1111/evj.12563 49, 65-72

Dyson, S., Greve, L. Subjective gait assessment of 57 sports horses in normal work: a comparison of the response to flexion tests, movement in hand, on the lunge and ridden. *J Equine Vet. Sci.* 2016, 38: 1-7

Dyson, S. Equine performance and equitation science: clinical issues. *J. Appl. Anim. Behav. Sci.* 2017 doi: 10.1016/j.applanim.2017.03.001 190, 5-17

Walker, V., Tranquille, C., **Dyson, S.,** Spear, J., Murray, R. Association of a subjective muscle score with increased angles of flexion during a sitting trot in dressage horses. *J Equine Vet Sci* 2016, doi.org/10.1016/j.jevs.2016.01.011

Greve, L., Pfau, T., **Dyson, S.** Thoracolumbar movement in sound horses trotting in straight lines in hand and on the lunge. *The Vet J* 2017 doi.org/doi: 10.1016/j.tvjl.2017.01.003 220, 95-104

Walker, V., Tranquille, C., Newton, R., **Dyson, S.**, Brandham, J., Northrop, A., Murray, R. Comparison of limb kinematics between collected and lengthened (medium/extended) trot in two groups of dressage horses on two different surfaces. *Equine Vet J.* 2017, doi: 10.1111/evj.12661

Dyson, S., Tranquille, C., Walker, V., Guire, R., Fisher, M., Murray, R. A subjective descriptive study of the warm-up and turn to a fence, approach, take-off, suspension, landing and move-off in 10 showjumpers. *Equine Vet. Educ.* 2018, 30: 41-52

Biggi, M., **Dyson, S.** Normal anatomy of the proximal tarsal region described using high-field and low-field magnetic resonance imaging. *Am. J.Vet. Res.* 2018, 79: 299 -310

Greve, L., **Dyson, S.**, Pfau, T. Alterations in thoracolumbosacral movement when pain causing lameness has been improved by diagnostic analgesia *The Vet. J.* 2017, doi:10.1016/j.tvjl.2017.03.009 224, 55 -63.

Dyson, S., Blunden, A., Murray, R. Magnetic resonance imaging and gross post mortem and histological findings of the soft tissues of the plantar aspect of the tarsus and proximal metatarsal region in non-lame horses. *Vet. Radiol. Ultrasound* 2017, 58: 217-227

Nagy, A., **Dyson, S.**, Murray, J. Veterinary problems of endurance horses in England and Wales. *J. Preventative Vet. Med.* 2017, 140:45-52

Mullard, J., Berger, J., Ellis, A., **Dyson, S.** Development of an ethogram to describe facial expressions in ridden horses (FEReq). *J. Vet. Behav.: Clin. Appl. Res.* 2017, 18:7-12

Dyson, S., Pinilla, M-J., Bolas, N., Murray, R. Proximal suspensory desmopathy in hindlimbs: magnetic resonance imaging, gross post mortem and histological study. *Equine Vet J.* 2017, doi: 10.1111/evj.12756 2018; 50: 159-165

Mullard, J., Ireland, J., **Dyson S.** 2016 Radiographic measurements of the ratio of the hoof wall distal phalanx distance to palmar length of the distal phalanx in 415 front feet from a mixed population of 279 horses. *Equine Vet. J.* S50, 15. http://onlinelibrary.wiley.com/doi/10.1111/evj.24_12612/full

Dyson, S., Berger, J., Ellis, A., Mullard, J. Can the presence of musculoskeletal pain be determined from the facial expressions of ridden horses (FEReq)? *J. Vet. Behav.: Clin. Appl. Res.* 2017, 19:78-89

Greve, L., Pfau, T., **Dyson, S.** Alterations in body lean angle in lame horses before and after diagnostic analgesia in straight lines in hand and on the lunge. *The Vet. J.* 2018, doi.org/10.1016/j.tvjl.2018.07.006 239, 1-6

Nagy, A., **Dyson, S.** Does diagnostic analgesia using mepivacaine in the distal aspect of the

limb of horses performed in a clinical situation less than 12 or 36 hours before magnetic resonance imaging result in artefacts? *J. Equine Vet. Sci.* 2018, 62:18-24.

Quiney, L., Ireland, J., **Dyson, S.** Evaluation of the diagnostic accuracy of skeletal scintigraphy in lame and poorly performing sports horses. *Vet. Radiol. Ultrasound* 2018, doi:10.1111/vru.12626 59, 477-489.

Dyson, S., Berger, J., Ellis, A., Mullard, J. Development of an ethogram for a pain scoring system in ridden horses and its application to determine the presence of musculoskeletal pain. *J. Vet. Behav.: Clin. Appl. Res.* 2018 **23**, 47-57

Quiney, L., Ireland, J., **Dyson, S.** Evaluation of the diagnostic accuracy of skeletal scintigraphy for the causes of front foot pain determined by magnetic resonance imaging (MRI). *Vet. Radiol. Ultrasound* 2018 doi: 10.1111/vru.12627 59, 490-498.

Dyson, S., Berger, J., Ellis, A., Mullard, J. Behavioural observations and comparisons of non-lame horses and lame horses before and after resolution of lameness by diagnostic analgesia. *J. Vet. Behav.: Clin. Appl. Res.* 2018 doi: 10.1016/j.jveb.2018.05.001 26, 64-70

Dyson, S., Ellis, A., Mullard, J., Berger, J. Response to Gleeperup: understanding signals that indicate pain in ridden horses. *J. Vet. Behav.: Clin. Appl. Res.* 2018 **23**: 87-90

Bathe, A., Judy, C., **Dyson, S.** (2018) Do we have to redefine lameness in the era of quantitative gait analysis? *Equine Vet. J.* 2018, doi:10.1111/evj.12791

Greve, L., **Dyson, S.** What can we learn from visual and objective assessment of non-lame and lame horses in straight lines, on the lunge and ridden? *Equine Vet. Educ.* 2018 doi: 10.1111/eve.13016 2020 32(9), 479-491

Dyson, S. Unexplained forelimb lameness possibly associated with radiculopathy. *Equine Vet. Educ.* 2018 doi:10.1111/eve.12980 2020; 32(S10),92-103

Mullard, J., Ireland, J., **Dyson, S.** Radiographic assessment of the ratio of the hoof wall distal phalanx distance to palmar length of the distal phalanx in 415 front feet of 279 horses. *Equine Vet. Educ.* 2018 doi: 10.1111/eve.13004 2020; 32 (S10), 2-10

Dyson, S. Is there an association between conformation and lameness? *UK Equine Vet* 2018; 1(2): 12-15. doi:10.1298/ukve.2018.2.2.00

Dyson, S., Van Dijk, J. Application of a ridden horse ethogram to video recordings of 21 horses before and after diagnostic analgesia: reduction in behaviour scores. *Equine Vet. Educ.* 2018 doi: 10.1111/eve.13029 2020; 32(S10), 104-111.

Routh, J., Strang, C., Gilligan, S., **Dyson, S.** An investigation of the association between hindlimb conformation and suspensory desmopathy in sports horses. *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13089 2020; 32(S10),183-192

Dyson, S., Ellis, A., Guire, R., Douglas, J., Bondi, A., Harris, P. (2019) The influence of rider:horse bodyweight ratio and rider-horse-saddle-fit on equine gait and behaviour: a pilot study. *Equine Vet. Educ.* doi:10.1111/eve.13085 2020 32(10) 527-534

Dyson, S. Suspensory branch injuries in sports horses and racehorses UK *Equine Vet* 2018; 2(3): 90-96.

Quiney, L., Ellis, A., Dyson, S. 2018 The influence of rider weight on exercise induced changes in thoracolumbar dimensions and epaxial muscle tension and pain. *Equine Vet. J.* 50(S52), 16.

Quiney, L., Ellis, A., Harris, P., **Dyson, S.** Exercise-induced changes in thoracic width and epaxial muscle tension and pain: a pilot study on the influence of rider weight and rider-saddle-horse fit. *Equine Vet. Educ.* 2019 Submitted

Hemmings, A., Chan, C., Roberts, A., Ellis, A., Ellis, A., Harris, P., **Dyson, S.** An exploratory investigation into the effect of rider weight on indicators of pain and stress in the horse. *J. Vet. Behav. Appl. Clin. Res.* 2019 Submitted

Dyson, S. Technological advances in equine medicine - are we losing our clinical skills? - or failing to develop appropriate clinical skills? *Equine Vet. Educ.* 2018 doi: 10.1111/eve.12988

Nagy, A., Quiney, L., **Dyson, S.** Long term outcome of 84 horses with sacroiliac joint region pain with (n=69) or without (n=15) other orthopaedic problems. *Equine Vet. Educ.* 2019 doi:10.1111/eve.13057
2020; 32(S10), 129-135

Nankervis, K., Bradley, F., Kosek, K., **Dyson, S.** Investigation of the reliability of saddle fitters to determine the position of the last thoracic vertebra of horses using palpation techniques: A pilot study. *J. Equine Vet. Sci.* 2019 doi.org./10.1016/j.jevs.2019.02.003

Quiney, L., Ellis, A., **Dyson, S.** (2018) The influence of rider weight on exercise-induced changes in thoracolumbar dimensions and epaxial muscle tension and pain. *Equine Vet J.* **50** (Suppl. 52), 16.

Roberts, A., **Dyson, S.**, Ellis, A., Harris, P., Hemmings, A. (2018) The influence of rider body weight on salivary cortisol concentrations and spontaneous blink rate for horses performing a standardised exercise test. *Equine Vet J.* **50** (Suppl. 52), 16-17.

Walker, V., **Dyson, S.**, Tranquille, C., Tacey, J., Murray, R. (2019) Description of limb and thoracolumbosacral kinematics of 10 horses jumping an individual upright fence and an individual parallel spread fence. *Comp. Exercise Physiology.* doi:10.3920/CEP180040

Quiney, L., Murray, R., **Dyson, S.** (2019) Management of primary injuries of the medial collateral ligament of the carpus using high-intensity laser therapy (HILT) in two horses. *J. Equine Vet. Sci.*
[doi:10.1016/j.jevs.2019.102878](https://doi.org/10.1016/j.jevs.2019.102878)

Dyson, S., Thomson, K., Quiney, L., Bondi, A., Ellis, A. (2020) Can veterinarians reliably apply a whole horse ridden ethogram to differentiate non-lame and lame horses based on live horse assessment of behaviour? *Equine Vet. Educ.* 32(S10),112-120 doi:10.1111/eve.13104

Thomson, K., Chan, C., **Dyson, S.** Head tossing behaviour in six horses: idiopathic

headshaking or musculoskeletal pain? *Equine Vet. Educ.* 2018 doi:10.1111/eve/13084 2020 32(S11), 58-64

Roost, L., Ellis, A., Morris, C., Bondi, A., Gandy, E., Harris, P., **Dyson, S.** The effects of rider size and saddle fit for horse and rider on forces and pressure distribution under saddles: a pilot study. *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13102 2020; 32(S10),151-161.

Dyson, S., Busoni, V., Salciccia, A. Intervertebral disc disease of the cervical and cranial thoracic vertebrae in equidae: Eight cases. *Equine Vet. Educ.* 2019 doi:10.1111/eve/13125

Clayton, H., **Dyson, S.**, Harris, P., van Weeren, R., Bondi, A. Horse, rider, saddlery interactions: Welfare and performance. *Equine Vet. J.* 2019 doi:10.1111/evj.13088

Price, R., **Dyson, S.**, Gardner, D., Kydd, J. Can horse owners, after preliminary training, use a ridden horse facial expression ethogram to differentiate non-lame and lame horses? *J. Equine Vet Sci.* 2019 Submitted

Nagy, A., **Dyson, S.** Recumbency following diagnostic analgesia of the sacroiliac joint regions: 15 horses. *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13176 2020; 32(S10),144-150

Bondi, A., Norton, S., Pearmann, L., **Dyson, S.** Evaluating the suitability of an English saddle for a horse and rider combination. *Equine Vet. Educ.* 2019 doi:10.1111/eve.13158 2020; 32(S10),162-172

Dyson, S. Letter to the Editor: Continued debate about what constitutes lameness. *Equine Vet. J.* 2019, doi: 10.1111/evj.13118 51, 556

Boado, A., Nagy, A., **Dyson, S.** Clinical and ultrasonographic features associated with lumbosacral or lumbar 5-6 symphysis disease: 64 horses (2012-2018). *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13236 2020; 32(S10), 136-143

Tivey, M., Van Dijk, J., **Dyson, S.** Extensive ossification of the ungular cartilages and other osseous abnormalities of the proximal and distal phalanges. *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13176 2020; 32(S10), 25-30

Gruyaert, M., Pollard, D. **Dyson, S.** An investigation into the occurrence of, and risk factors for, concurrent suspensory ligament injuries in horses with hindlimb proximal suspensory desmopathy. *Equine Vet. Educ.* 2019 doi: 10.1111/eve.13187 2020; 32(S10),173-182

Dyson, S. (2019) Application of a ridden horse ethogram to horses competing at a 4-star three-day-event: comparison with cross-country performance. *Equine Vet. J.* **51** (Suppl. 53), 11.

Dyson, S., Boado, A. (2019) Clinical and ultrasonographic features associated with lumbosacral and lumbar 5-6 symphysis disease: 25 horses. *Equine Vet. J.* **51** (Suppl. 53), 12.

Nagy, A., **Dyson, S.** (2019) Recumbency following diagnostic analgesia of the sacroiliac joint regions: 15 horses. *Equine Vet. J.* **51** (Suppl. 53), 9.

Hibbs, K., Jarvis, G., **Dyson, S.** (2020) Crooked tail carriage in horses: increased prevalence in lame horses and those with thoracolumbar epaxial muscle tension or sacroiliac joint region pain. *Equine Vet. Educ.* doi:10.1111/eve.13316 2021 33, 368-375.

Walker, V., Pettit, I., Tranquille, C., Spear, J., **Dyson, S.**, Murray, R. (2020) Relationship between pelvic tilt control, horse-rider synchronisation, and rider position in sitting trot. *Comp. Exerc. Phys.* doi: 10.3920/CEP190071 16, 423-432

Kalka, K., Pollard, D., **Dyson, S.** (2020) An investigation of the shape of the hoof capsule in hindlimbs, its relationship with the orientation of the distal phalanx and comparison with forelimb hoof capsule conformation. *Equine Vet. Educ.* doi:1111/eve.13341 2021; 33: 422-429

Aleman, M., Berryhill, E., Woolard, K., Easton-Jones, C.A., Kozikowski-Nicholas, T., **Dyson, S.**, Kilcoyne I. (2020) Sidewinder gait in horses. *J. Vet. Intern. Med.* doi: 10.1111/jvim.15870

Dyson, S., Pollard, D. (2020) Application of a Ridden Horse Pain Ethogram and its relationship with gait in a convenience sample of 60 riding horses. *Animals* 10, 1044; doi:10.3390/ani10061044

Dyson, S., Ellis, A. (2020) Application of a Ridden Horse Pain Ethogram to horses competing at 5-star three-day-events: comparison with performance. *Equine Vet. Educ.* doi: 10.1111/eve.13415 2022 34, 306-315 2022 34(6), 306-315

Dyson, S. (2020) How to determine the presence of musculoskeletal pain in ridden horses by application of the Ridden Horse Pain Ethogram. *Proc. Amer. Assoc. Equine Pract.* 66, 334-342

Dyson, S., Bondi, A., Routh, J., Pollard, D. (2022) Gait abnormalities and ridden horse behaviour in a convenience sample of the United Kingdom ridden sports horse and leisure horse population. *Equine Vet. Educ.* 34, 84-95. doi: 10.1111/eve.13395

Dyson, S., Martin, C., Bondi, A., Ellis, A. (2020) The influence of rider skill on ridden horse behaviour, assessed using the Ridden Horse Pain Ethogram, and gait quality. *Equine Vet. Educ.* doi: 10.1111/eve.13434 2022 34(7), e308-e317 34(7), 371

Dyson, S., Bondi, A., Routh, J., Pollard, D., Preston, T., McConnell, C., Kydd, J. (2021) An investigation of behaviour during tacking-up and mounting in ridden sports and leisure horses. *Equine Vet. Educ.* doi: 10.1111/eve.13432 2022 34, e245-257 2022 34(6) 304

Dyson, S., Murray, R., Nagy, A. (2020) Letter to the Editor concerning 'Lameness originating from the proximal metacarpus/tarsus: a review of local analgesic techniques and clinical diagnostic findings'. *Equine Vet. Educ.* [doi:10.1111/eve.13384](https://doi.org/10.1111/eve.13384) 2021 33, 612-614

Dyson, S., Bondi, A., Routh, J., Pollard, D. (2021) An investigation into the relationship between equine behaviour when tacked-up and mounted and epaxial muscle hypertonicity or pain, girth region hypersensitivity, saddle fit, rider position and balance and lameness. *Equine Vet. Educ.* doi:10.1111/eve.13440 2022 34e, 258-267 2022 34(6), 305

Quiney, L., Stewart, J. Routh, J. **Dyson, S.** (2021) Gross *post-mortem* and histological features in 27 horses with confirmed lumbosacroiliac joint region pain and five control horses: a

cadaveric study. *Equine Vet. J.* doi: 10.1111/evj.13488 2022 54, 726-739

Dyson, S., Bondi, A., Routh, J., Pollard, D., Preston, T., McConnell, C., Kydd, J. (2021) Do owners recognise abnormal equine behaviour when tacking-up and mounting? A comparison between responses to a questionnaire and real-time observations. *Equine Vet. Educ.* doi:10.1111/eve.13471 2022, 34: e375-e384

Dyson, S., Thomson, K. (2022) The recognition of pain and learned behaviour in horses which buck. *Equine Vet. Educ.* 34, 272-280 doi: 10.1111/eve.13466

Dyson, S. (2022) The Ridden Horse Pain Ethogram. *Equine Vet. Educ.* doi: 10.1111/eve.13468 34(7), 372-380

Dyson, S., Pollard, D. (2021) Application of the Ridden Horse Pain Ethogram to elite dressage horses competing in World Cup Grand Prix Competitions. *Animals* 11, 1187. doi.org/0.3390/ani11051187

Dyson, S., Pollard, D. (2021) Application of the Ridden Horse Pain Ethogram to horses competing at the Hickstead-Rotterdam Grand Prix Challenge and the British Dressage Grand Prix National Championship 2020 and comparison with World Cup Grand Prix competitions. *Animals* 11, 1820 doi.org/10.3390/ani11061820

Gruyaert, M., Pollard, D., **Dyson, S.** (2022) Relative heights of the withers and the tubera sacrale and angulation of the lumbar and pelvic regions in horses with hindlimb proximal suspensory desmopathy, sacroiliac joint region pain and other injuries. *Equine Vet. Educ.* doi.10.1111/eve.13724

Dyson, S. (2021) How to assess the suitability of rider size – height, morphology and weight – for optimal horse welfare and performance: a review. *Proc. Amer. Assoc. Equine Pract.* 67, 223-230

Dyson, S., Bondi, A., Routh, J., Kydd, J., Pollard, D. (2021) A review of how to recognise signs of abnormal equine behaviour during tacking-up and mounting and to understand their potential clinical significance. *Proc. Amer. Assoc. Equine Pract.* 67, 231-239

Nagy, A., **Dyson, S.** (2021) Complications following diagnostic and therapeutic sacroiliac joint region injections. *Equine Vet. J.* 53 (Supp. 55) 18

Kalka, K., Pollard, D., **Dyson, S.** (2020) An investigation of the shape of the hoof capsule in hindlimbs, its relationship with the orientation of the distal phalanx and comparison with forelimb hoof capsule conformation. *Equine Vet J* 53 (Supp. 55) 14-15

Kalka, K., Pollard, D., **Dyson, S.** (2021) An investigation of the shape of the hoof capsule in hindlimbs, its relationship with the orientation of the distal phalanx and comparison with forelimb hoof capsule conformation. *Equine Vet. Educ.* 33: 422-429

Dyson, S., Pollard, D. (2022) Application of the Ridden Horse Pain Ethogram to horses competing in British Eventing 90, 100 and Novice one-day events and comparison with performance. *Animals* 12, 590. <https://doi.org/10.3390/ani12050590>

Dyson, S. (2022) The Ridden Horse Pain Ethogram and the performance of sports horses: a review. *Proc. Amer. Assoc. Equine Pract.* 68, 316-325

Dragelund Garcia, H., Lindegaard, C., **Dyson, S.** (2023) Application of a Ridden Horse Pain Ethogram in Icelandic Horses: a Pilot Study. *Equine Vet. Educ.* doi:10.1111/eve.13803

Likon, I., **Dyson, S.**, Nagy, A. (2023) Magnetic resonance imaging of the proximal palmar cortex of the third metacarpal bone and the suspensory ligament in endurance horses: investigation of the effect of training. *Animals.* **2023**, *13*, 1106. <https://doi.org/10.3390/ani13061106>

Berger, J., Bondi, A., **Dyson, S.** Ellis, A., Lindegaard, A., Martin, C., Pollard, D., Routh, J., Thomson, K. (2022) Commentary on Ladewig et al.: The uses, values, and limitations of the Ridden Horse Pain Ethogram *J. Vet. Behav.* 57, 31-34. <https://doi.org/10.1016/j.jveb.2022.09.002>

Nagy, A., **Dyson, S.** Complications following diagnostic and therapeutic sacroiliac joint region injections in horses: a study describing clinicians' experiences. *Equine Vet. J.* 2023, doi.10.1111/evj.13929